



ALSPAW

YOUR ALUMINIUM PARTNER




Stage platforms



Stage platforms

ALSPAW
YOUR ALUMINIUM PARTNER




Top of the stage platform is made of water-proof plywood with anti-skid lining



SPA-02



Aluminium corner




Stage platforms

ALSPAW
YOUR ALUMINIUM PARTNER



CE
1672

Light aluminium profile



SPA-03

Telescopic legs are made of a special aluminum profile, which ensures smooth and precise adjustment at different heights. This solution also allows using platforms on uneven ground.

Water-proof plywood with anti-skid lining








Stage platforms

The frame of the stage platform is made of a light, specially designed aluminium profile. The modules are available in the basic dimensions: 2x1 m, 2x0,5 m, 1x1 m, 1x0,5 m, 0,5x0,5 m. We can also offer customized dimensions and shapes of platforms on special request.

Available colors and materials:



Material			
Waterproof plywood with anti-skid lining			
Natural plywood			
Aluminium anti-skid sheet			





Standard Line SP




Technical data

Type of stage platform	SP - Standard
Basic size	2 x 1 m
Plywood thickness	18 mm
Frame height	110 mm
Weight	46 kg (without legs)
Leg profile	60 x 60 mm
Load capacity	990 kg/m ²
Material of the top	Waterproof with anti-skid lining / natural plywood / aluminum anti-skid sheet / nonstandard for a special request
Legs	Regular or telescopic with height adjustment

Equipment

Basic accessories	<ul style="list-style-type: none"> - Self-leveling insert SPA-01 - 3 pcs/platform - Stage assembly clamp SPA-02 - 3 pcs/platform - Leg clamp SPA-03 - 2 pcs/platform - Legs: Regular or telescopic with height adjustment
Additional accessories and options	<ul style="list-style-type: none"> - Adjustable stairs with height adjustment - Regular stairs - Modular stairs - Handrail SPB-2 - 2 m long - Handrail SPB-1 - 1 m long - Handrail SPB-0,75 - 0,75 m long - Handrail SPB-0,5 - 0,5 m long - Transport legs - Transport trolley for 10 pcs of platforms - Down covering made of PVC canopy - Down covering made of decorative plush - Powder painting of frame and legs



SP-01

Dimensions	2,0 x 1,0 m
Weight	43 kg



SP-02

Dimensions	2,0 x 0,5 m
Weight	29 kg



SP-03

Dimensions	1,0 x 1,0 m
Weight	26 kg



SP-04

Dimensions	1,0 x 0,5 m
Weight	18 kg



SP-05

Dimensions	0,5 x 0,5 m
Weight	13 kg



SP-06

Dimensions	1,0 x 1,0 m
Weight	17,5 kg



Light Linie SPL



Technical data

Type of stage platform	SP - Standard
Basic size	2 x 1 m
Plywood thickness	12 mm
Frame height	90 mm
Weight	30 kg (without legs)
Leg profile	60 x 60 mm
Load capacity	500 kg/m ²
Material of the top	Waterproof with anti-skid lining / natural plywood / aluminum anti-skid sheet / nonstandard for a special request
Legs	Regular or telescopic with height adjustment

Equipment

Basic accessories	<ul style="list-style-type: none"> - Self-leveling insert SPA-01 - 3 pcs/platform - Stage assembly clamp SPA-02 - 3 pcs/platform - Leg clamp SPA-03 - 2 pcs/platform - Legs: Regular or telescopic with height adjustment
Additional accessories and options	<ul style="list-style-type: none"> - Adjustable stairs with height adjustment - Regular stairs - Modular stairs - Handrail SPB-2 - 2 m long - Handrail SPB-1 - 1 m long - Handrail SPB-0,75 - 0,75 m long - Handrail SPB-0,5 - 0,5 m long - Transport legs - Transport trolley for 10 pcs of platforms - Down covering made of PVC canopy - Down covering made of decorative plush - Powder painting of frame and legs



SPL-01

Dimensions	2,0 x 1,0 m
Weight	30 kg



SPL-02

Dimensions	2,0 x 0,5 m
Weight	19,5 kg



SPL-03

Dimensions	1,0 x 1,0 m
Weight	18 kg



SPL-04

Dimensions	1,0 x 0,5 m
Weight	12 kg



SPL-05

Dimensions	0,5 x 0,5 m
Weight	8 kg



SPL-06

Dimensions	1,0 x 1,0 m
Weight	12 kg






Assembly accessories

All platforms are equipped with assembly accessories like self-leveling inserts, stage assembly clamps, leg clamps and handrail assembly clamps.

SPA-01

Self-leveling insert

**SPA-02**

Stage assembly clamp

**SPA-03**

Leg clamp

**SPA-04**

Handrail assembly clamp



Stage platforms handrail

Stage platform handrails ensure safety during use of modular stage platforms. They are adjusted to every kind of platform and available in the standard dimensions 2m, 1m, 0,75m, 0,5m and in non-standard dimensions at a customer's request.

SPB-2


Handrail - 2 m

**SPB-1**

Handrail - 1 m

**SPB-075**

Handrail - 0,75 m

**SPB-05**

Handrail - 0,5 m



Platform legs

Telescopic legs are made of a special aluminum profile, which ensures smooth and precise adjustment at different heights. This solution also allows for using platforms on uneven ground.

Regular legs are also made of light aluminium profile ensuring stability and durability mostly indoor.

SPTL

Adjustable legs

Height	Weight
0,2 - 0,3 m	1,1 kg
0,4 - 0,6 m	2,0 kg
0,5 - 0,8 m	2,45 kg
0,6 - 1,0 m	2,9 kg
0,8 - 1,4 m	3,8 kg
1,0 - 1,8 m	4,7 kg



SPRL

Regular legs

Height	Weight
0,2 m	0,6 kg
0,3 m	0,8 kg
0,4 m	1,0 kg
0,5 m	1,15 kg
0,6 m	1,35 kg
0,7 m	1,5 kg
0,8 m	1,7 kg
0,9 m	1,9 kg
1,0 m	2,1 kg



SPWL

Transport leg

Height	Weight
0,25 m	2,3 kg



Stage platform trolley

Stage platforms may be stored and transported in the special trolley, which holds 10 pieces of the platform.



Adjustable stairs



Unique and fully adjustable stairs are available in several variants of height and number of steps. They are characterized by quick and easy assembly. In addition, handrails ensure safety during use. The steps are made of an aluminium profile filled with anti-skid plywood.

	Height	Steps	Width
AS-01	1,0 - 1,8 m	7	1,15 m
AS-02	0,8 - 1,4 m	6	1,15 m
AS-03	0,6 - 1,0 m	5	1,15 m

Modular stairs



Modular stairs include similar modules which combination allows to be used and adapted to different heights of stage platforms.

	Height of platform	Height	Steps	Width
MS-01	1,0 m	0,8 m	4	1,0 m
MS-02	0,8 m	0,6 m	3	1,0 m
MS-03	0,6 m	0,4 m	2	1,0 m
MS-04	0,4 m	0,2 m	1	1,0 m

Regular stairs



Regular stairs feature mostly to fixed step height and are available in 4 variants from 0,4 m to 1 m.

	Height of platform	Height	Steps	Width
RS-01	1,0 m	0,8 m	4	1,1 m
RS-02	0,8 m	0,6 m	3	1,1 m
RS-03	0,6 m	0,4 m	2	1,1 m
RS-04	0,4 m	0,2 m	1	1,1 m

Stage




Choir platforms




Catwalks for fashion shows



Disabled ramp



Audience



Contact

ALSPAW
YOUR ALUMINIUM PARTNER



ALSPAW GROUP
ul. Batorego 29
63-400 Ostrów Wielkopolski
Poland

phone: +48 62 592 50 80
phone: + 48 62 592 50 00
e-mail: alspaw@alspaw.com.pl
www.alspaw.com.pl